

April 14, 2015

Ethanol 2015: Emerging Issues Forum - ICM Line of Sight



Adam Anderson

Product Manager ICM, Inc. – Colwich, KS Direct Line: 316.977.6282

Selective Milling Technology™ is Protected by US Patent No. 9,012,191. Patents Pending for Fiber Separation Technology™ and Generation 1.5 Grain Fiber to Cellulosic Ethanol Technology™. © 2015 ICM, Inc. All Rights Reserved.

- > ICM Background
- > Industry Vision
- > Purpose of Grind and Cook
- > Updates for ICM Technologies







...sustain agriculture while advancing renewable energy.

- Engineering and Construction,
 Optimizations, Plant Management,
 Dryers and Thermal Oxidizers, Bolt-On
 Technologies, Spare Parts,
 Manufacturing, Shutdown Services,
 Gasifiers, and R&D Services.
- > 102 Ethanol Plants, 18 Retrofits, Hungary, Argentina, Canada












	310%	Cellulosic Ethanol
	300%	
	290%	
	280%	Corn Oil
	270%	
	260%	
	250%	Ethanol
	240%	
	230%	
	220%	
	210%	
	200%	
	190%	
	180%	High Protein DDG
	170%	
	160%	
	150%	
	140%	
	130%	DDGS
	120%	
	110%	
CORN	100%	
	90%	Fiber + Syrup
	80%	Liquid Syrup





- Purpose to <u>physically</u>, <u>chemically</u>, and <u>biologically</u> prepare grain for fermentation
 - Breaking/grinding of grain
 - Wetting of grain
 - Gelatinization, swelling of <u>starch</u> (water + heat)
 - Mechanical shear bursts swollen granules allowing enzyme action













- > Patented
- > Selective Sizing
- > Potential for Ethanol +1-2%
- > Potential for Oil +10%
- Operations cost saving opportunities
- Protects Fiber for Fiber Separation Technology™ (FST™)










- Purpose to <u>physically</u>, <u>biologically</u>, and <u>chemically</u> prepare grain for fermentation
- > FST™ adds ability to concentrate process flows













- > Purpose to <u>physically</u>, <u>biologically</u>, and <u>chemically</u> prepare grain for fermentation.
- > FST™ adds ability to concentrate process flows.
- > Generation 1.5 Grain Fiber to Cellulosic Ethanol Technology™ (Gen 1.5) adds ability to physically, biologically, and chemically prepare corn kernel fiber for fermentation.




Gen 1.5 from Fiber – Easiest Step into Cellulosic

- Fiber is Just-In-Time Feedstock
- > Truly Integrated
- > Reduced capital (≈\$2.30/gal)
- > < \$0.30 op ex. No additional Water or Acids
- > 3.08+ Gallons per bushel yield
- > Patent Pending






Generation 1.5 Grain Fiber to Cellulosic Ethanol Technology™







- > Grind and Cook prepare lignocellulose for fermentation
 - > Shared infrastructure (Roads, Rail, Utilities)
 - > Operational synergies (Energy, Water, Nutrients)
 - > Co-product optimization



- > 18 ICM systems running today
 - Over 1.05 BGPY production rate benefitting
- > 20 ICM systems running by late 2015
 - + 9 strategic partner systems = 29 total
- Over 2.01 BGPY production rate total













- Continuous operation at ICM BioFuels since August 2013
 - Proven feedstock for Generation 1.5
 Grain Fiber to Cellulosic Ethanol
 Technology™
- > First/Early Adopters
 - Aylmer, ON
 - Redfield, SD
 - Adams, NE
 - Lyons, KS





- > Trial runs completed and processes proven
- > Full Scale (150MMGPY) Gen 1.5 engineering and economic work complete
 - 3.1+ gallons per bushel yield
 - \$2-\$3 USD/installed gallon
- > Trial schedules for 2015
 - Gen 2.0 switchgrass Mar-Apr
 - Gen 2.0 energy sorghum Jun-Jul
 - Gen 1.5 Oct-Dec
 - "Live" tour opportunities available





Thank You! 19

Adam Anderson

Product Manager

ICM - Colwich, Kansas

Phone: 316.977.6282

Email: adam.anderson@icminc.com





Visit our 20th Anniversary website: www.icm20years.com



Visit our Corporate website: www.icminc.com



Follow us on Twitter:

@ICM Technology #icm20years



Follow us on Linked In:

www.linkedin.com/company/icm-inc 2



Download the ICMNOW App: www.icmmobileapp.com



View our videos on YouTube:

https://www.youtube.com/user/icmglobal

